



# PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 05/02/2017

Supersedes:09/25/2014

Version: 1.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form	: Mixture
Trade name	: PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.
Product code	: 4002
Other means of identification	: This product is not hazardous in accordance with US OSHA 29CFR1910.1200 (Hazcom 2012), Canada Hazardous Products Regulations (WHMIS 2015) and the Globally Harmonized System (GHS).

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: Cooling Sealant
------------------------------	-------------------

### 1.3. Details of the supplier of the safety data sheet

Petra Oil Company  
11085 Regency Green Drive  
Cypress, TX 77429  
T 713-856-5700

### 1.4. Emergency telephone number

Emergency number	: CHEMTRIC 24 Hour 1-800-424-9300, 1-703-527-3887 (International)
------------------	---

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GHS-US classification

Not classified as hazardous

### 2.2. Label elements

#### GHS-US labelling

No labelling applicable

### 2.3. Other hazards

Other hazards not contributing to the classification	: None under normal conditions.
--	---------------------------------

### 2.4. Unknown acute toxicity (GHS US)

No data available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	85 - 95	Not classified as hazardous
Wood flour Mesh	(CAS No) Mixture	1 - 5	Not classified as hazardous
Bentonite, Conc Quartz (Respirabel Dust) >=0,1%	(CAS No) 1302-78-9	1 - 5	Not classified as hazardous
Aristonate	(CAS No) Mixture	1 - 5	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332
Diatomaceous Earth, Uncalcined	(CAS No) 61790-53-2	1 - 5	Not classified as hazardous
methenamine 3-chloroallylochloride	(CAS No) 4080-31-3	< 1	Acute Tox. 4 (Oral), H302
Sodium Bicarbonate	(CAS No) 144-55-8	<= 0.0858	Not classified as hazardous
Potassium Hydroxide, 45%=<Conc<50%, Aqueous Solutions	(CAS No) 1310-58-3	< 1	Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314
hexamethylenetetramine	(CAS No) 100-97-0	<= 0.011	Flam. Sol. 2, H228 Skin Sens. 1, H317
dichloromethane	(CAS No) 75-09-2	<= 0.00066	Carc. 2, H351
1,3-dichloropropene, mixed isomers	(CAS No) 542-75-6	<= 0.00055	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Carc. 2, H351

The exact percentage is a trade secret.

# PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow breathing of fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: May cause slight irritation.
Symptoms/injuries after eye contact	: May cause slight eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed and enters airways.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Remove ignition sources.
------------------	----------------------------

##### 6.1.1. For non-emergency personnel

Protective equipment	: Gloves. Safety glasses.
Emergency procedures	: Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment	: Dam up the liquid spill. Plug the leak, cut off the supply. Contain released substance, pump into suitable containers.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
-------------------------------	--

# PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Hygiene measures

: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off immediately all contaminated clothing and wash it before reuse. Always wash hands after handling the product. Wash contaminated clothing before reuse. Wash affected areas thoroughly after handling. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures

: Proper grounding procedures to avoid static electricity should be followed. Comply with applicable regulations.

#### Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.

#### Incompatible products

: Strong bases. Strong acids.

#### Incompatible materials

: Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

Follow Label Directions.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

dichloromethane (75-09-2)		
USA ACGIH	ACGIH TWA (ppm)	50 ppm (Dichloromethane (Methylene chloride); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)

### Wood flour Mesh (Mixture)

USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³

### 8.2. Exposure controls

Appropriate engineering controls : Local exhaust ventilation, vent hoods . Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Safety glasses. Avoid all unnecessary exposure.



#### Materials for protective clothing

: GIVE EXCELLENT RESISTANCE:

#### Hand protection

: Wear protective gloves.

#### Eye protection

: Chemical goggles or safety glasses.

#### Skin and body protection

: Wear suitable protective clothing.

#### Respiratory protection

: Wear appropriate mask.

#### Environmental exposure controls

: Avoid release to the environment.

#### Consumer exposure controls

: Avoid contact during pregnancy/while nursing.

#### Other information

: Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Brown.
Odour	: Mild.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: > 100 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available

# PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: 1.02
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

VOC content	: 0 %
-------------	-------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Toxic fume. . Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified as hazardous
----------------	-------------------------------

#### **methenamine 3-chlorallylochloride (4080-31-3)**

LD50 oral rat	500 mg/kg (Rat)
---------------	-----------------

#### **Sodium Bicarbonate (144-55-8)**

LD50 oral rat	> 4000 mg/kg (Rat; FIFRA (40 CFR); Experimental value)
---------------	--

#### **hexamethylenetetramine (100-97-0)**

LD50 oral rat	> 5000 mg/kg (Rat)
---------------	--------------------

#### **dichloromethane (75-09-2)**

LD50 oral rat	> 2000 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Literature study)

#### **1,3-dichloropropene, mixed isomers (542-75-6)**

LD50 oral rat	127 mg/kg (Rat)
LD50 dermal rat	775 mg/kg (Rat)
LD50 dermal rabbit	333 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	3 mg/l/4h (Rat)

#### **Potassium Hydroxide, 45%=<Conc<50%, Aqueous Solutions (1310-58-3)**

LD50 oral rat	273 mg/kg (Rat)
---------------	-----------------

#### **Aristonate (Mixture)**

LD50 oral rat	5000 mg/kg
LD50 dermal rat	2000 mg/kg
LD50 dermal rabbit	10200 mg/kg
LC50 inhalation rat (mg/l)	2.18 mg/l

Skin corrosion/irritation : Not classified as hazardous

Serious eye damage/irritation : Not classified as hazardous

Respiratory or skin sensitisation : Not classified as hazardous

Germ cell mutagenicity : Not classified as hazardous

# PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity : Not classified as hazardous

### 1,3-dichloropropene, mixed isomers (542-75-6)

IARC group	2B
------------	----

### Diatomaceous Earth, Uncalcined (61790-53-2)

IARC group	3
------------	---

Reproductive toxicity : Not classified as hazardous

Specific target organ toxicity (single exposure) : Not classified as hazardous

Specific target organ toxicity (repeated exposure) : Not classified as hazardous

Aspiration hazard : Not classified as hazardous

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : May cause slight irritation.

Symptoms/injuries after eye contact : May cause slight eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### hexamethylenetetramine (100-97-0)

LC50 fish 1	49800 mg/l (LC50; 96 h)
-------------	-------------------------

EC50 Daphnia 1	36000 mg/l (EC50; 48 h)
----------------	-------------------------

#### dichloromethane (75-09-2)

LC50 fish 1	193 mg/l (LC50; 96 h; Pimephales promelas)
-------------	--

EC50 Daphnia 1	168.2 mg/l (EC50; 48 h)
----------------	-------------------------

#### 1,3-dichloropropene, mixed isomers (542-75-6)

LC50 fish 2	1.97 mg/l (LC50; 96 h; Salmo gairdneri)
-------------	---

EC50 Daphnia 2	0.09 mg/l (EC50; 48 h)
----------------	------------------------

Threshold limit algae 1	1.04 - 4.9, EC50; 96 h
-------------------------	------------------------

#### Potassium Hydroxide, 45%=<Conc<50%, Aqueous Solutions (1310-58-3)

LC50 fish 2	80 mg/l (LC50; 96 h)
-------------	----------------------

### 12.2. Persistence and degradability

#### PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.

Persistence and degradability	Not established.
-------------------------------	------------------

#### methenamine 3-chlorallylochloride (4080-31-3)

Persistence and degradability	Forming sediments in water. Adsorbs into the soil. Not established.
-------------------------------	---

#### Sodium Bicarbonate (144-55-8)

Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
-------------------------------	---

ThOD	Not applicable (inorganic)
------	----------------------------

#### hexamethylenetetramine (100-97-0)

Persistence and degradability	Hydrolysis in water. Not established.
-------------------------------	---------------------------------------

Biochemical oxygen demand (BOD)	0.026 g O <sub>2</sub> /g substance
---------------------------------	-------------------------------------

ThOD	1.37 g O <sub>2</sub> /g substance (NH3)
------	--

BOD (% of ThOD)	0.01897
-----------------	---------

#### dichloromethane (75-09-2)

Persistence and degradability	Not readily biodegradable in water. Biodegradable in the soil. Not established.
-------------------------------	---

#### 1,3-dichloropropene, mixed isomers (542-75-6)

Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil. Photolysis in the air. Not established.
-------------------------------	---

#### Potassium Hydroxide, 45%=<Conc<50%, Aqueous Solutions (1310-58-3)

Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available. Not established.
-------------------------------	---

Biochemical oxygen demand (BOD)	Not applicable
---------------------------------	----------------

Chemical oxygen demand (COD)	Not applicable
------------------------------	----------------

ThOD	Not applicable
------	----------------

# PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Aristonate (Mixture)</b>	
Persistence and degradability	Not established.
<b>Bentonite, Conc Quartz (Respirabel Dust) &gt;=0,1% (1302-78-9)</b>	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
<b>Diatomaceous Earth, Uncalcined (61790-53-2)</b>	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
<b>Wood flour Mesh (Mixture)</b>	
Persistence and degradability	Not established.
<b>Water (7732-18-5)</b>	
Persistence and degradability	Not established.
<b>12.3. Bioaccumulative potential</b>	
<b>PETRA UNIVERSAL COOLING CONDITIONER &amp; SEALANT 12 FL.OZ.</b>	
Bioaccumulative potential	Not established.
<b>methenamine 3-chloroallylochloride (4080-31-3)</b>	
BCF other aquatic organisms 1	3.2 (BCF; WO h)
Log Pow	-0.1
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500). Not established.
<b>Sodium Bicarbonate (144-55-8)</b>	
Log Pow	-4.01 (Estimated value)
Bioaccumulative potential	Not bioaccumulative.
<b>hexamethylenetetramine (100-97-0)</b>	
Log Pow	-4.15 - -2.13
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
<b>dichloromethane (75-09-2)</b>	
BCF fish 1	2 - 40 (BCF)
Log Pow	1.25 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500). Not established.
<b>1,3-dichloropropene, mixed isomers (542-75-6)</b>	
Log Pow	2 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.
<b>Potassium Hydroxide, 45%=&lt;Conc&lt;50%, Aqueous Solutions (1310-58-3)</b>	
Bioaccumulative potential	Not bioaccumulative. Not established.
<b>Aristonate (Mixture)</b>	
Bioaccumulative potential	Not established.
<b>Bentonite, Conc Quartz (Respirabel Dust) &gt;=0,1% (1302-78-9)</b>	
Bioaccumulative potential	No bioaccumulation data available.
<b>Diatomaceous Earth, Uncalcined (61790-53-2)</b>	
Bioaccumulative potential	No bioaccumulation data available.
<b>Wood flour Mesh (Mixture)</b>	
Bioaccumulative potential	Not established.
<b>Water (7732-18-5)</b>	
Bioaccumulative potential	Not established.
<b>12.4. Mobility in soil</b>	
<b>dichloromethane (75-09-2)</b>	
Surface tension	0.028 N/m (20 °C)
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.
<b>1,3-dichloropropene, mixed isomers (542-75-6)</b>	
Surface tension	0.031 N/m (24 °C)
Ecology - soil	Toxic to flora. Not toxic to bees in normal conditions of use.

# PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national, international regulations. Do not discharge into drains or the environment. Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

US DOT (ground): Not Regulated,

ICAO/IATA (air): Not Regulated,

IMO/IMDG (water): Not Regulated,

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not Regulated

### 14.3. Additional information

Other information : No supplementary information available.

#### Overland transport

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Potassium Hydroxide, 45%=<Conc<50%, Aqueous Solutions (1310-58-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Aristonate (Mixture)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

### 15.2. International regulations

#### CANADA

#### Potassium Hydroxide, 45%=<Conc<50%, Aqueous Solutions (1310-58-3)

Listed on the Canadian DSL (Domestic Substances List)

#### Aristonate (Mixture)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

#### Potassium Hydroxide, 45%=<Conc<50%, Aqueous Solutions (1310-58-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Aristonate (Mixture)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.2; R49

Full text of R-phrases: see section 16

### 15.2.2. National regulations

# PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Potassium Hydroxide, 45%=<Conc<50%, Aqueous Solutions (1310-58-3)

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on the Japanese ISHL (Industrial Safety and Health Law)

### Aristonate (Mixture)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on KECI (Korean Existing Chemicals Inventory)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on the AICS (Australian Inventory of Chemical Substances)

## 15.3. US State regulations

### PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.

U.S. - California - Proposition 65 - Carcinogens List	No		
U.S. - California - Proposition 65 - Developmental Toxicity	No		
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	No		
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No		
State or local regulations	U.S. - California - Proposition 65		

### methenamine 3-chlorallylochloride (4080-31-3)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

### Sodium Bicarbonate (144-55-8)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

### hexamethylenetetramine (100-97-0)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

### dichloromethane (75-09-2)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

### 1,3-dichloropropene, mixed isomers (542-75-6)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

### Potassium Hydroxide, 45%=<Conc<50%, Aqueous Solutions (1310-58-3)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

### Aristonate (Mixture)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity -	U.S. - California - Proposition 65 - Reproductive Toxicity -	Non-significant risk level (NSRL)
No	No	No	No	

# PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aristonate (Mixture)				
		Female	Male	
No	No	No	No	
Bentonite, Conc Quartz (Respirabel Dust) >=0,1% (1302-78-9)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	
Diatomaceous Earth, Uncalcined (61790-53-2)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	
Wood flour Mesh (Mixture)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	
Water (7732-18-5)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

## SECTION 16: Other information

Other information : None.

Full text of H-statements:

H226	Flammable liquid and vapour
H228	Flammable solid
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H332	Harmful if inhaled
H351	Suspected of causing cancer

NFPA health hazard


: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard

: 1 - Must be preheated before ignition can occur.

NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



## HMIS III Rating

Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 1 Slight Hazard
Physical	: 0 Minimal Hazard
Personal Protection	: B

SDS US (GHS HazCom 2012) - TCC

# PETRA UNIVERSAL COOLING CONDITIONER & SEALANT 12 FL.OZ.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*The Supplier identified in Section 1 of this SDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product*

*Disclaimer: The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.*