

## Diesel Engine Induction/EGR Cleaner

### SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	Diesel Engine Induction/EGR Cleaner
<b>Part number</b>	3003 & 3003G5
<b>Product Family</b>	Alkali
<b>Recommended Use</b>	Cleaner.
<b>Restrictions on Use</b>	Not applicable.
<b>Supplier Identifier</b>	Petra Oil Company, Inc. 11085 Regency Green Dr. Cypress, TX 77429
<b>Emergency Phone No.</b>	Chemtrec 24 hour 1-800-424-9300, 1-703-527-3887 (International)

### SECTION 2. HAZARD IDENTIFICATION

#### Classification

Skin corrosion - Category 1; Serious eye damage - Category 1

#### Label Elements



Danger

Causes severe skin burns and eye damage.

Causes serious eye damage.

Wash hands and skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTRE or doctor.

Store locked up.

Dispose of contents and container in accordance with local, regional, national and international regulations.

---

Product Identifier: Diesel Engine Induction/EGR Cleaner - Ver. 1

SDS No.: 3003 & 3003G5

Date of Preparation:

Date of Last Revision:

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Sodium hydroxide	1310-73-2	1-5		

## SECTION 4. FIRST-AID MEASURES

### First-aid Measures

#### Inhalation

Not a hazard under normal conditions of use.

Remove source of exposure or move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. If breathing has stopped, trained personnel should begin rescue breathing. Get medical attention immediately.

#### Skin Contact

Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately rinse skin with lukewarm, gently flowing water for at least 30 minutes. Immediately call a Poison Centre or doctor.

#### Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for at least 30 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

#### Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Drink two glasses of water. Immediately call a Poison Centre or doctor.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Carbon dioxide or dry chemical.

#### Unsuitable Extinguishing Media

Do not use a direct stream of water.

### Specific Hazards Arising from the Product

Does not burn.

Carbon oxides, and other unidentified organic compounds.

### Special Protective Equipment and Precautions for Fire-fighters

Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA).

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Use the personal protective equipment recommended in Section 8 of this safety data sheet. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment.

### Environmental Precautions

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Do not allow into any sewer, on the ground or into any waterway.

### Methods and Materials for Containment and Cleaning Up

Product Identifier: Diesel Engine Induction/EGR Cleaner - Ver. 1

SDS No.: 3003 & 3003G5

Date of Preparation:

Date of Last Revision:

Page 02 of 07

Stop or reduce leak if safe to do so. Contain and soak up spill with absorbent that does not react with spilled product. Contaminated absorbent poses the same hazard as the spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Containers of this material may contain hazardous residues when "emptied". It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Wear personal protective equipment to avoid direct contact with this chemical. Wash hands thoroughly after handling this material.

### Conditions for Safe Storage

Store in an area that is: well-ventilated.

Keep from freezing.

Store in an area that is: out of direct sunlight and away from heat and ignition sources. Store in a closed container.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH® TLV®		OSHA PEL		AIHA® WEEL®	
	TWA	STEL [C]	TWA	Ceiling	8-hr TWA	Short-term TWA [C]
Sodium hydroxide	2 mg/m3	Not established	2 mg/m3	Not established		

### Appropriate Engineering Controls

Sufficient mechanical ventilation to maintain exposures below the TLV. Under normal conditions of use, general ventilation should be satisfactory. Local ventilation is recommended if the product is misted or used in a confined space or if the TLV is exceeded. Make up air should always be supplied to balance air exhausted. Provide eyewash and safety shower if contact or splash hazard exists.

### Individual Protection Measures

#### Eye/Face Protection

Safety glasses with side shields. Contact lenses should not be worn, they may contribute to the severity of the injury.

#### Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.  
Suitable materials are: nitrile rubber, polyvinyl alcohol.

#### Respiratory Protection

Not normally required if product is used as directed. No specific guidelines are available.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

Appearance	Pink - red liquid.
Odour	Not available
Odour Threshold	Not available
pH	13.5
Melting Point/Freezing Point	Not available (melting)
Initial Boiling Point/Range	Not applicable
Flash Point	Not applicable
Evaporation Rate	Not available
Flammability (solid, gas)	Not applicable (liquid).

Product Identifier: Diesel Engine Induction/EGR Cleaner - Ver. 1

SDS No.: 3003 & 3003G5

Date of Preparation:

Date of Last Revision:

Page 03 of 07

Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not available
Relative Density (water = 1)	1.03
Solubility	Soluble in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not available
Viscosity	Not available (kinematic)
Other Information	
VOC %	Not available
Flame projection	Not applicable
NFPA Classification	Not applicable

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions of use.

### Chemical Stability

Stable at ambient temperatures and pressures.

### Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

### Conditions to Avoid

Incompatible materials.

### Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid), strong acids (e.g. hydrochloric acid).

### Hazardous Decomposition Products

Carbon oxides. And other unidentified organic compounds.

## SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

### Likely Routes of Exposure

Inhalation;

Skin contact;

Eye contact;

Ingestion.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Sodium hydroxide	Not available	Not available	Not available

LC50: No information was located.

LD50 (oral): No information was located.

LD50 (dermal): No information was located.

### Skin Corrosion/Irritation

Human experience and animal tests show mild irritation.

Product Identifier: Diesel Engine Induction/EGR Cleaner - Yer. 1

SDS No.: 3003 & 3003G5

Date of Preparation:

Date of Last Revision:

**Serious Eye Damage/Irritation**

Moderate to severe irritant.

**STOT (Specific Target Organ Toxicity) - Single Exposure****Inhalation**

High concentrations may cause respiratory irritation and central nervous system depression with results ranging from dizziness and headache to unconsciousness.

**Skin Absorption**

No information was located.

**Ingestion**

May cause a burning sensation and possible tissue damage of the mucous membranes and the digestive tract.

**Aspiration Hazard**

Not known to be an aspiration hazard.

**STOT (Specific Target Organ Toxicity) - Repeated Exposure**

No information was located.

**Respiratory and/or Skin Sensitization**

No information was located for respiratory sensitization.

No information was located for skin sensitization.

**Carcinogenicity**

Not a carcinogen.

No information was located for: Development of Offspring, Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

**SECTION 12. ECOLOGICAL INFORMATION**

This section is not required by WHMIS.

This section is not required by OSHA HCS 2012.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal Methods**

Empty containers retain product residue. Follow label warnings even if container appears to be empty. Do not reuse empty containers. Recycle and reuse product, if possible. This product and its container must be disposed of as hazardous waste. Do NOT dump into any sewers, on the ground or into any body of water. Dispose of in accordance with municipal, provincial/state or federal regulations.

**SECTION 14. TRANSPORT INFORMATION**

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	UN1824	Sodium hydroxide solution	8	III
IMDG (Marine)	UN1824	Sodium hydroxide solution	8	III
IATA (Air)	UN1824	Sodium hydroxide solution	8	III
US DOT	UN1824	Sodium hydroxide solution	8	III

**Special Precautions** Not applicable

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**Emergency Response** 154 EmS F-A, S-B  
**Guide No.**

**Other Information** ICAO/IATA PI Y841/852/856

Product Identifier: Diesel Engine Induction/EGR Cleaner - Ver. 1

SDS No.: 3003 & 3003G5

Date of Preparation:

Date of Last Revision:

Page 05 of 07

Product may ship as LTD QTY if TDG, ICAO/IATA or IMDG Limited Quantity provisions are met.

## SECTION 15. REGULATORY INFORMATION

### Safety, Health and Environmental Regulations

#### Canada

##### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

#### USA

##### Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

##### Additional USA Regulatory Lists

CERCLA. (Sodium hydroxide)

SARA Title III - Section 302: Not applicable.

SARA Title III - Section 313: Not applicable.

California Proposition 65: Not applicable.

Massachusetts Right To Know: Not applicable.

New Jersey Right To Know. (Sodium hydroxide)

Pennsylvania Right To Know. (Sodium hydroxide)

## SECTION 16. OTHER INFORMATION

<b>NFPA Rating</b>	Health - 3      Flammability - 0      Instability - 0
<b>SDS Prepared By</b>	Petra Oil Company, Inc. 11085 Regency Green Dr. Cypress, TX 77429
<b>Phone No.</b>	713-856-5700
<b>Date of Preparation</b>	March 03, 2016
<b>Date of Last Revision</b>	May 02, 2017
<b>Revision Indicators</b>	The following SDS content was changed on April 28, 2016: SECTION 1. IDENTIFICATION; SDS No. The following SDS content was changed on May 02, 2017: SECTION 1. IDENTIFICATION.
<b>Key to Abbreviations</b>	ACGIH® = American Conference of Governmental Hygienists CANUTEC = Canadian Transport Emergency Centre CAS = Chemical Abstract Service CCOHS = Canadian Centre for Occupational Health & Safety CNS = Central nervous system GESTIS = GESTIS Substance Database HSDB® = Hazardous Substances Data Bank IARC = International Agency for Research on Cancer ICAO = International Civil Aviation Organization IMDG = International Maritime Dangerous Goods Code LC = Lethal concentration LC = Lethal dose NFPA = National Fire Protection Association NTP = National Toxicology Program OSHA = US Occupational Safety and Health Administration PPM = Parts per million RTECS® = Registry of Toxic Effects of Chemical Substances STEL = Short term exposure limit TDG = Transportation of Dangerous Goods Regulations (Canada) TWA = Time weighted average
<b>References</b>	Material Safety Data Sheet from manufacturer.

Product Identifier: Diesel Engine Induction/EGR Cleaner - Ver. 1

SDS No.: 3003 & 3003G5

Date of Preparation:

Date of Last Revision:

**Disclaimer**

CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).  
HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS).  
Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and Safety (CCOHS).  
ECHA - European Chemical Agency, Classification and Labelling Inventory GESTIS Substance Database  
OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.  
The information contained herein is offered only as a guide to the use and handling of this specific material and has been prepared in good faith. It is not intended to be all-inclusive, and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied. Shrader Canada Limited will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein.