



## PETRA RUST BLASTER

### SAFETY DATA SHEET

## Section 1. Product & Company Identification

### 1.1 Product Identifier

Product Name	: Petra Rust Blaster
Product Number(s)	: 9002C
Synonyms	: Penetrating oil (aerosol)
Recommended use	: General purpose penetrating oil and rust preventative

### 1.2 Company Identification: Details of the supplier of the Safety Data Sheet

Company Name	: Petra Automotive Products, Inc.
Company Address	11085 Regency Green Dr. Cypress, TX 77429 713.856.5700
Emergency Telephone Number	: CHEMTREC 24 Hour 1-800-424-9300, 1-703-527-3887 (International)

## Section 2. Hazard(s) Identification

### 2.1. Classification of the Substance or Mixture

#### GHS US Classification

Flammable Aerosol Category 1	H222    Extremely flammable aerosol
Gases Under Pressure Compressed Gas	H280    Contains gas under pressure; may explode if heated.
Skin Sensitization, Category 1	H317    May cause an allergic skin reaction

Full text of H- and EUH-statements: see section 16

### 2.2. Label Elements

#### GHS US Labeling

Hazard pictograms (GHS US)



**Signal word (GHS US)**

Danger

**Hazard statements (GHS US)**

H222- Extremely flammable aerosol

H280 - Contains gas under pressure; may explode if heated

H317 - May cause an allergic skin reaction

<b>Precautionary statements (GHS US)</b>	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Pressurized container: Do not pierce or burn, even after use. P261 - Avoid breathing dust,fume,gas,mist,vapor spray P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves,protective clothing,eye protection,face protection P302+P352 - If on skin: Wash with plenty of soap and water P321 - Specific treatment: See section 4.1 on SDS P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P410+P403 - Protect from sunlight. Store in a well-ventilated place. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 - Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national, international regulations.
--	--

### 2.3. Other Hazards

<b>Other hazards which do not result in classification</b>	Contains gas under pressure; may explode if heated. None under normal conditions.
--	---

### 2.4. Unknown Acute Toxicity (GHS US)

No data available.

## Section 3. Composition/Information on Ingredients

### 3.1. Substances

Not Applicable

### 3.2. Mixtures

Name	Product Identifier	%	GHS US Classification
Distillates (Petroleum), Hydrotreated Light	(CAS-No.) 64742-47-8	70 – 85	Asp. Tox. 1, H304
Distillates (Petroleum), Hydrotreated Heavy Naphthenic	(CAS-No.) 64742-52-5	1-5	Asp. Tox. 1, H304
SYN-ESTER(TM) GY-56	(CAS-No.) Proprietary	1-5	Not Classified
Carbon Dioxide, Liquefied, Under Pressure	(CAS-No.) 124-38-9	1-5	Press. Gas (Comp.), H280
Distillates (Petroleum), Hydrotreated Heavy Naphthenic	(CAS-No.) 64742-52-5	0.685 – 1.37	Not Classified
Fragance	(CAS-No.) Proprietary Mixture	<1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Fragrance	(CAS-No.) Proprietary Mixture	<1	Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 2, H371 Aquatic Acute 2, H401

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### Section 4. First Aid Measures

#### 4.1. Description of First Aid Measures

<b>First-aid Measures General</b>	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
<b>Inhalation</b>	Cough. Allow affected person to breathe fresh air. Allow the victim to rest.
<b>Skin Contact</b>	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment: See section 4.1 on SDS. Wash contaminated clothing before reuse.
<b>Eye Contact</b>	Direct contact with the eyes is likely to be irritating. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most Important Symptoms and Effects, both Acute and Delayed.

<b>Symptoms/Effects</b>	If you feel unwell, seek medical advice.
<b>Inhalation</b>	Shortness of breath. May cause an allergic skin reaction.
<b>Skin Contact</b>	May cause slight irritation . Red skin.
<b>Eye Contact</b>	May cause slight eye irritation . Redness of the eye tissue. Inflammation/damage of the eye tissue.

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

No additional information available

### Section 5. Fire Fighting Measures

#### 5.1. Extinguishing Media

<b>Suitable Extinguishing Media</b>	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
<b>Unsuitable Extinguishing Media</b>	Do not use a heavy water stream.

#### 5.2. Special Hazards Arising from the Substance or Mixture

<b>Fire Hazard</b>	Extremely flammable aerosol.
<b>Explosion Hazard</b>	Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### 5.3. Advice for Firefighters

<b>Firefighting Instructions</b>	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
<b>Protection During Firefighting</b>	Do not enter fire area without proper protective equipment, including respiratory protection.
<b>Other Information</b>	Aerosol level 3.

## Section 6. Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

<b>General Measures</b>	No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.
-------------------------	---

#### 6.1.1. For Non-Emergency Personnel

<b>Protective Equipment</b>	Gloves. Safety glasses.
-----------------------------	-------------------------

<b>Emergency Procedures</b>	Evacuate unnecessary personnel.
-----------------------------	---------------------------------

#### 6.1.2. For Emergency Responders

<b>Protective Equipment</b>	Equip cleanup crew with proper protection.
-----------------------------	--

<b>Emergency Procedures</b>	Ventilate area.
-----------------------------	-----------------

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and Material for Containment and Cleaning Up

<b>For Containment</b>	Dam up the liquid spill. Plug the leak, cut off the supply. Contain released product, collect/pump into suitable containers.
------------------------	--

<b>Methods for Cleaning Up</b>	Store away from other materials.
--------------------------------	----------------------------------

### 6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection.

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### Section 7: Handling and Storage

#### 7.1. Precautions for Safe Handling

<b>Additional Hazards When Processed</b>	Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.
<b>Precautions for Safe Handling</b>	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not spray on an open flame or other ignition source. Avoid breathing dust,fume,gas,mist,vapor spray.
<b>Hygiene Measures</b>	Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

<b>Technical Measures</b>	Proper grounding procedures to avoid static electricity should be followed.
<b>Storage Conditions</b>	Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place.
<b>Incompatible Products</b>	Strong bases. Strong acids.
<b>Incompatible Materials</b>	Sources of ignition. Direct sunlight. Heat sources.
<b>Storage Area</b>	Store in a well-ventilated place.

#### 7.3. Specific End Use(s)

Follow Label Directions.

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### Section 8. Exposure Controls/Personal Protection

#### 8.1. Control Parameters

<b>Petra Rust Blaster</b>	
No additional information available	
<b>Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)</b>	
No additional information available	
<b>SYN-ESTER(TM) GY-56 (Proprietary)</b>	
No additional information available	
<b>Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA	5 mg/m <sup>3</sup> MIST 8 HOURS
<b>USA - OSHA - Occupational Exposure Limits</b>	
OSHA PEL (TWA) [1]	5 mg/m <sup>3</sup> MIST 8 HOURS
<b>Distillates (Petroleum), Hydrotreated Light (64742-47-8)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	200 ppm 8 Hours
<b>USA - NIOSH - Occupational Exposure Limits</b>	
NIOSH REL (TWA)	100 mg/m <sup>3</sup>
<b>FRAGRANCE (Proprietary Mixture)</b>	
No additional information available.	
<b>Fragrance</b>	
No additional information available.	
<b>Carbon Dioxide, Liquefied, Under Pressure (124-38-9)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA	9000 mg/m <sup>3</sup>
ACGIH OEL TWA [ppm]	5000 ppm
ACGIH OEL STEL	54000
ACGIH OEL STEL [ppm]	30000 ppm
<b>USA - OSHA - Occupational Exposure Limits</b>	
OSHA PEL (TWA) [1]	9000 mg/m <sup>3</sup>
OSHA PEL (TWA) [2]	5000 ppm
<b>USA - NIOSH - Occupational Exposure Limits</b>	
NIOSH REL (TWA)	9000 mg/m <sup>3</sup>
NIOSH REL TWA [ppm]	5000 ppm
NIOSH REL (Ceiling)	54000 mg/m <sup>3</sup>
NIOSH REL C [ppm]	30000 ppm

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### 8.2. Appropriate Engineering Controls

### 8.3. Individual Protection Measures/Personal Protective Equipment

**Personal Protective Equipment** Gloves. Safety glasses. Avoid all unnecessary exposure.

**Hand Protection** Wear protective gloves.

**Eye Protection** Chemical goggles or safety glasses.

**Respiratory Protection** Wear appropriate mask.

#### Personal Protective Equipment

##### Symbol(s)



**Other Information** Do not eat, drink or smoke during use.

## Section 9. Physical and Chemical Properties

### 9.1. Information on Basic Physical and Chemical Properties

**Physical State** Gas

**Appearance** Liquid

**Color** Colourless to light yellow

**Odor** Kerosene

**Odor Threshold** No data available

**pH** No data available

**Relative Evaporation Rate  
(Butyl Acetate=1)** 0.19

**Melting Point** No data available

**Freezing Point** No data available

**Boiling Point** 222 – 247 °C

# PETRA RUST BLASTER

## SAFETY DATA SHEET

<b>Flash Point</b>	≥ 94.7 °C
<b>Auto-Ignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Flammability</b>	No data available
<b>Vapor Pressure</b>	0.013 kPa
<b>Relative vapor density at 20 °C</b>	4.5
<b>Relative Density</b>	0.81
<b>Solubility</b>	Insoluble in water
<b>Partition Coefficient N-Octanol/Water (Log Pow)</b>	No data available
<b>Partition Coefficient N-Octanol/Water (Log Kow)</b>	No data available
<b>Viscosity, Kinematic</b>	1.92 cSt @40C
<b>Viscosity, Dynamic</b>	No data available
<b>Explosive Properties</b>	Heating may cause an explosion.
<b>Oxidizing Properties</b>	No data available
<b>Explosion Limits</b>	No data available

### 9.1. Information on Basic Physical and Chemical Properties

<b>VOC Content</b>	< 2 %
<b>Gas Group</b>	Compressed gas

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### Section 10. Stability and Reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical Stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.  
Extreme risk of explosion by shock, friction, fire or other sources of ignition.

#### 10.3. Possibility of Hazardous Reactions

Not established.

#### 10.4. Conditions to Avoid

Direct sunlight. Extremely high or low temperatures.  
Heat. Sparks. Open flame. Overheating.

#### 10.5. Incompatible Materials

Strong acids. Strong bases.

#### 10.6. Hazardous Decomposition Products

Toxic fume. Carbon monoxide. Carbon dioxide.

### Section 11. Toxicological Information

#### 11.1. Information on Toxicological Effects

**Acute Toxicity (oral)** Not classified

**Acute Toxicity (dermal)** Not classified

**Acute Toxicity (inhalation)** Not classified

#### SYN-ESTER(TM) GY-56 (Proprietary)

LD50 oral rat	> 2000 mg/kg
---------------	--------------

LD50 dermal rabbit	> 2000 mg/m <sup>3</sup>
--------------------	--------------------------

#### Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

LD50 oral rat	> 5000 mg/kg body weight
---------------	--------------------------

#### Distillates (Petroleum), Hydrotreated Light (64742-47-8)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 5.28 mg/l/4h Based on lack of mortality and systemic effects

# PETRA RUST BLASTER

## SAFETY DATA SHEET

**Skin Corrosion/Irritation** Not classified

**Serious Eye Damage/Irritation** Not classified

**Respiratory or Skin Sensitization** May cause an allergic skin reaction.

**Germ Cell Mutagenicity** Not classified

**Carcinogenicity** Not classified

### Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

IARC group	3 - Not classifiable
------------	----------------------

**Reproductive Toxicity** Not classified

**STOT-Single Exposure** Not classified

### Fragrance

STOT-Single Exposure	May cause damage to organs.
----------------------	-----------------------------

**STOT-Repeated Exposure** Not classified

**Aspiration Hazard** Not classified

**Viscosity, Kinematic** 1.92 mm<sup>2</sup>/s @40C

**Potential Adverse Human Health Effects and Symptoms** Based on available data, the classification criteria are not met.

**Symptoms/Effects** If you feel unwell, seek medical advice.

**Symptoms/Effects After Inhalation** Shortness of breath. May cause an allergic skin reaction.

**Symptoms/effects after skin contact** May cause slight irritation . Red skin.

**Symptoms/effects after eye contact** May cause slight eye irritation . Redness of the eye tissue. Inflammation/damage of the eye tissue.

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### Section 12. Ecological information

#### 12.1. Toxicity

##### Carbon Dioxide, Liquefied, Under Pressure (124-38-9)

LC50 - Fish [1]	Not established.
-----------------	------------------

#### 12.2. Persistence and Degradability

##### Petra Rust Blaster

LC50 - Persistence and degradability Fish [1]	35 mg/l (96 h, <i>Salmo gairdneri</i> , Literature study, Lethal)
---	---

##### Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

Persistence and degradability	Not established.
-------------------------------	------------------

##### SYN-ESTER(TM) GY-56 (Proprietary)

Persistence and degradability	Not established.
-------------------------------	------------------

##### Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

Persistence and degradability	Not established.
-------------------------------	------------------

##### Distillates (Petroleum), Hydrotreated Light (64742-47-8)

Persistence and degradability	Not established.
-------------------------------	------------------

##### FRAGRANCE (Proprietary Mixture)

Persistence and degradability	Not established.
-------------------------------	------------------

##### Fragrance

Persistence and degradability	Not established.
-------------------------------	------------------

##### Carbon Dioxide, Liquefied, Under Pressure (124-38-9)

Persistence and degradability	Biodegradability: not applicable. Not established.
-------------------------------	--

Chemical oxygen demand (COD)	Not applicable (inorganic)
------------------------------	----------------------------

ThOD	Not applicable (inorganic)
------	----------------------------

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### 12.3. Bioaccumulative potential

<b>Petra Rust Blaster</b>	
Bioaccumulative potential	Not established.
<b>Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)</b>	
Bioaccumulative potential	Not established.
<b>SYN-ESTER(TM) GY-56 (Proprietary)</b>	
Bioaccumulative potential	Not established.
<b>Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)</b>	
Bioaccumulative potential	Not established.
<b>SYN-ESTER(TM) GY-56 (Proprietary)</b>	
Bioaccumulative potential	Not established.
<b>Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)</b>	
Bioaccumulative potential	Not established.
<b>Distillates (Petroleum), Hydrotreated Light (64742-47-8)</b>	
Bioaccumulative potential	Not established.
<b>FRAGRANCE (Proprietary Mixture)</b>	
Bioaccumulative potential	Not established.
<b>Fragrance</b>	
Bioaccumulative potential	Not established.
<b>Carbon Dioxide, Liquefied, Under Pressure (124-38-9)</b>	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### 12.4. Mobility In Soil

Carbon Dioxide, Liquefied, Under Pressure (124-38-9)	
Ecology - soil	Not applicable (gas).

### 12.5. Other Advers Effects

**Effect on Global Warming** No known effects from this product.

**Other Information** Avoid release to the environment.

## Section 13. Disposal Considerations

### 13.1. Waste Treatment Methods

**Product/Packaging disposal recommendations** Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use. Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national, international regulations.

**Additional Information** Flammable vapors may accumulate in the container.

**Ecology - Waste Materials** Avoid release to the environment.

## Section 14. Transport Information

### Department of Transportation (DOT)

In accordance with DOT

**US DOT (ground) (DOT)** UN1950 Aerosols, 2.1

**UN-No.(DOT)** UN1950

**Proper Shipping Name (DOT)** Aerosols

**Class (DOT)** 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

**DOT Packaging Non Bulk (49 CFR 173.xxx)** None

**DOT Packaging Bulk (49 CFR 173.xxx)** None

# PETRA RUST BLASTER

## SAFETY DATA SHEET

<b>DOT Special Provisions (49 CFR 172.102)</b>	N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
<b>DOT Packaging Exceptions (49 CFR 173.xxx)</b>	306
<b>DOT Quantity Limitations (Passenger aircraft/rail (49 CFR 173.27))</b>	75 kg
<b>DOT Quantity Limitations (Cargo aircraft only (49 CFR 175.75))</b>	150 kg
<b>DOT Vessel Stowage Location</b>	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
<b>DOT Vessel Stowage Other</b>	25 - Protected from sources of heat, 87 - Stow "separated from" Class 1 (explosives) except Division 14, 126 - Segregation same as for Class 9, miscellaneous hazardous materials
<b>Emergency Response Guide (ERG) Number</b>	126
<b>Other information</b>	No supplementary information available.

## Transport by Sea

<b>UN-No. (IMDG)</b>	1950
<b>Proper Shipping Name (IMDG)</b>	AEROSOLS
<b>Class (IMDG)</b>	2.1 - Flammable gases
<b>Hazard labels (IMDG)</b>	2.1 - Flammable gases



## Transport by Sea

<b>UN-No. (IATA)</b>	1950
<b>Proper Shipping Name (IATA)</b>	Aerosols
<b>Class (IATA)</b>	2.1 - Gases : Flammable

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### Section 15. Regulatory Information

#### 15.1. US Federal Regulations

<b>Petra Rust Blaster</b>	
SARA Section 311/312 Hazard Classes	Physical hazard - Gas under pressure
<b>Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard
<b>Distillates (Petroleum), Hydrotreated Light (64742-47-8)</b>	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard
<b>Carbon Dioxide, Liquefied, Under Pressure (124-38-9)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
SARA Section 311/312 Hazard Classes	Sudden release of pressure hazard Immediate (acute) health hazard

#### 15.2. International Regulations

<b>Blaster</b>	
WHMIS Classification	Class B Division 5 - Flammable Aerosol
<b>Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>Distillates (Petroleum), Hydrotreated Light (64742-47-8)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
<b>Carbon Dioxide, Liquefied, Under Pressure (124-38-9)</b>	
Listed on the Canadian DSL (Domestic Substances List)	

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### EU-Regulations

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

Distillates (Petroleum), Hydrotreated Light (64742-47-8)

Carbon Dioxide, Liquefied, Under Pressure (124-38-9)

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

### 15.3. US State Regulations

#### Petra Rust Blaster

All components are either listed on the US TSCA Inventory, or are not regulated under TSCA under 40 CFR 720.30.

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

Distillates (Petroleum), Hydrotreated Light (64742-47-8)

Carbon Dioxide, Liquefied, Under Pressure (124-38-9)

### 15.2.2. National Regulations

#### Petra Rust Blaster

U.S. - California - Proposition 65 - Carcinogens List	No
U.S. - California - Proposition 65 - Developmental Toxicity	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No

#### Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Carcinogens List	No significant risk level (NSRL)
No	No	No	No	

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### SYN-ESTER(TM) GY-56 (Proprietary)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Carcinogens List	No significant risk level (NSRL)
No	No	No	No	

### Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Carcinogens List	No significant risk level (NSRL)
No	No	No	No	

### Distillates (Petroleum), Hydrotreated Light (64742-47-8)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Carcinogens List	No significant risk level (NSRL)
No	No	No	No	

### FRAGRANCE (Proprietary Mixture)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Carcinogens List	No significant risk level (NSRL)
No	No	No	No	

### Fragrance

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Carcinogens List	No significant risk level (NSRL)
No	No	No	No	

# PETRA RUST BLASTER

## SAFETY DATA SHEET

### Carbon Dioxide, Liquefied, Under Pressure (124-38-9)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Carcinogens List	No significant risk level (NSRL)
No	No	No	No	

### Carbon Dioxide, Liquefied, Under Pressure (124-38-9)

#### State or Local Regulations

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. – New York City – Right to Know Hazardous Substances List  
U.S. - Pennsylvania - RTK (Right to Know) List

## Section 16. Other Information

**Other Information** None

#### Full Text of H-Phrases

H222	Extremely flammable aerosol
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H371	May cause damage to organs
H401	Toxic to aquatic life


**NFPA Health Hazard** 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

**NFPA Fire Hazard** 4 - Materials that rapidly or completely vaporize at atmospheric pressure and normal ambient temperature or that are readily dispersed in air and burn readily.

**NFPA Reactivity** 0 - Material that in themselves are normally stable, even under fire conditions.

# PETRA RUST BLASTER

## SAFETY DATA SHEET



### Hazard Rating

<b>Health</b>	2 Moderate Hazard - Temporary or minor injury may occur
<b>Flammability</b>	4 Severe Hazard
<b>Physical</b>	0 Minimal Hazard
<b>Personal Protection</b>	B

---

The Supplier identified in Section 1 of this SDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product.

#### Disclaimer:

The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data.

No warranty against infringement of any patent, copyright or trademark is made or implied.

Published by Petra Auto Products.

# PETRA RUST BLASTER

## SAFETY DATA SHEET

---



[petraautoproducts.com](http://petraautoproducts.com)