

# Super Sheen Dressing

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)  
Issue date: 10/1/2025 Revision date: 10/1/2025 Version: 1.0

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Super Sheen Dressing  
Product code : 9D502G, 9D502G5, 9D502G55

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Dressing for use on plastics and rubbers on motor vehicles  
Restrictions on use : Restricted to professional users

#### 1.4. Supplier's details

Petra Automotive Products, Inc.  
11085 Regency Green Dr.  
Cypress, TX 77429  
USA  
T (713) 856-5700  
[www.petraautoproducts.com](http://www.petraautoproducts.com)

#### 1.5. Emergency phone number

Emergency number : (Chemical Spills, Leaks, Fire, Exposure or Accident only): CHEMTRAC 1-800-424-9300 (in the US), 1-703-527-3887 (Outside the US)

### SECTION 2 Hazard Identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Flammable liquid, Category 2 H225 Highly flammable liquid and vapor.  
Aspiration hazard, Category 1 H304 May be fatal if swallowed and enters airways.  
Full text of H statements : see section 16

#### 2.2. Label elements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger  
Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor  
H304 - May be fatal if swallowed and enters airways  
Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 - Keep container tightly closed.  
P240 - Ground/Bond container and receiving equipment.  
P241 - Use explosion-proof equipment.  
P242 - Use non-sparking tools.

# Super Sheen Dressing

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

P243 - Take action to prevent static discharges.  
P280 - Wear protective gloves, protective clothing, eye and face protection.  
P301+P310 - If swallowed: Immediately call a poison center or doctor.  
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P331 - Do NOT induce vomiting.  
P370+P378 - In case of fire: Use carbon dioxide (CO<sub>2</sub>), foam, extinguishing powder to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.  
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

### 2.3. Hazards associated with known or reasonably anticipated uses

Prolonged or repeated contact may dry skin and cause irritation

### 2.4. Hazards not otherwise classified

Other hazards which do not result in classification : Prolonged or repeated contact may dry skin and cause irritation. Toxic to aquatic life with long lasting effects.

### 2.5. Unknown acute toxicity

No additional information available

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Distillates (petroleum), light distillate hydrotreating process	CAS-No.: 68410-97-9	45 – 80

Full text of hazard classes and H-statements : see section 16

## SECTION 4 First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general : Call a physician immediately.  
First-aid measures after inhalation : Move the affected person to fresh air. Get medical attention if symptoms occur.  
First-aid measures after skin contact : Remove contaminated clothing. Gently wash with plenty of soap and water. Get medical advice if skin irritation persists. Wash contaminated clothing before reuse.  
First-aid measures after eye contact : Rinse eyes with water as a precaution. Get medical attention if irritation develops and persists.  
First-aid measures after ingestion : Do NOT induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects : May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.  
Inhalation : May cause minor irritation to the respiratory tract and to other mucous membranes. High concentration of vapors may induce: headache, nausea, dizziness.  
Skin : May cause slight irritation to the skin. Repeated exposure may cause skin dryness or cracking.  
Eyes : May cause minor eye irritation.  
Ingestion : Aspiration hazard. May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

# Super Sheen Dressing

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

Chronic symptoms : No chronic health hazards are likely for this material.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : If accidentally swallowed obtain immediate medical attention.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use dry chemical, CO<sub>2</sub>, water spray or regular foam.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor. vapors may be heavier than air. vapors may cause fire/explosion if source of ignition is present. Keep away from open flames, hot surfaces and sources of ignition.

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO<sub>2</sub>). Hydrocarbon.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Cool down the containers exposed to heat with a water spray. Use shielding to protect from bursting cans.

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate ignition sources. No open flames, no sparks, and no smoking. Ventilate area. Do not breathe vapors. Avoid contact with eyes, skin and clothing. Wear suitable protective clothing. Keep unnecessary and unprotected personnel away from the spillage.

#### For non-emergency personnel

Emergency procedures : Remove all sources of ignition. Ventilate area. Use only explosion-proof equipment. Do not breathe vapors, mist, spray. Avoid contact with eyes, skin and clothing. Wear suitable protective clothing. Stop leak if safe to do so. Only qualified personnel equipped with suitable protective equipment may intervene. Keep unnecessary and unprotected personnel away from the spillage.

#### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Environmental precautions : Do not allow product to spread into the environment. Prevent liquid from entering sewers, watercourses, underground or low areas. Notify authorities if product enters sewers or public waters.

### 6.2. Methods and materials for containment and cleaning up

For containment : Remove all sources of ignition. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Absorb and/or contain spill with inert material, then place in suitable container. Use non-sparking tools.

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

# Super Sheen Dressing

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

### SECTION 7 Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling

- : Ensure adequate ventilation. Use only outdoors or in a well-ventilated area. Avoid breathing vapors, spray, mist. Avoid contact with eyes, skin and clothing. Wear personal protective equipment. Use according to manufacturer's directions. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Use explosion-proof equipment. Take precautionary measures against static discharge.
- Hygiene measures
- : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including incompatibilities

Storage conditions

- : Store locked up. Store in dry, cool, well-ventilated area. Keep away from open flames, hot surfaces and sources of ignition. Keep container tightly closed.

Incompatible materials

- : Store away from strong oxidizers, strong bases, strong acids.

### SECTION 8 Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls

- : Local exhaust and general room ventilation are both essential to prevent accumulation of flammable vapor or dust mixtures. Use explosion-proof equipment. Take precautionary measures against static discharge.

Environmental exposure controls

- : Do not allow product to spread into the environment.

#### 8.3. Individual protection measures, such as personal protective equipment

##### Hand protection:

Wear impervious gloves. Consult supplier for specific recommendations.

##### Eye protection:

Chemical goggles

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

##### Thermal hazard protection:

Not applicable.

### SECTION 9 Physical and chemical properties

#### 9.1. Basic physical and chemical properties

Physical state

- : Liquid

Appearance

- : Blue. Liquid.

# Super Sheen Dressing

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

Color	: Blue
Odor	: Fruity
Odor threshold	: Not determined
pH	: Not applicable
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: > 35 °C
Critical temperature	: Not determined
Flash point	: > -6.67 °C (Closed cup)
Relative evaporation rate (butyl acetate=1)	: < 1
Flammability (solid, gas)	: Highly flammable liquid and vapor.
Vapor pressure	: Not determined
Relative vapor density at 20°C	: No data available
Relative density	: 0.75
Solubility	: Water: Negligible
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not determined
Decomposition temperature	: No data available
Viscosity, kinematic	: < 20.5 mm <sup>2</sup> /s
Explosion limits	: Lower explosion limit: ≈ 1.4 vol % Distillates (petroleum), light distillate hydrotreating process Upper explosion limit: ≈ 7.6 vol % Distillates (petroleum), light distillate hydrotreating process
Explosive properties	: Not determined.
Particle characteristics	: Particle characteristics : Not applicable

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Highly flammable liquid and vapor.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

Strong bases. Strong oxidizers. Strong acids.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified

# Super Sheen Dressing

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

Acute toxicity (inhalation) : Not classified

### Distillates (petroleum), light distillate hydrotreating process (68410-97-9)

LD50 oral rat	> 5000 mg/kg (OECD 401 method)
---------------	--------------------------------

Skin corrosion/irritation : Not classified  
pH: Not applicable

Serious eye damage/irritation : Not classified  
pH: Not applicable

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

### Super Sheen Dressing

Viscosity, kinematic	< 20.5 mm <sup>2</sup> /s
----------------------	---------------------------

Symptoms/effects : May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.

Inhalation : May cause minor irritation to the respiratory tract and to other mucous membranes. High concentration of vapors may induce: headache, nausea, dizziness.

Skin : May cause slight irritation to the skin. Repeated exposure may cause skin dryness or cracking.

Eyes : May cause minor eye irritation.

Ingestion : Aspiration hazard. May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic symptoms : No chronic health hazards are likely for this material.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Ecology - general : Very toxic to aquatic life with long lasting effects. Do not allow product to spread into the environment.

Hazardous to the aquatic environment, short-term (acute) : Not applicable.

Hazardous to the aquatic environment, long-term (chronic) : Not applicable.

### Distillates (petroleum), light distillate hydrotreating process (68410-97-9)

LC50 - Fish [1]	0.854 mg/l Source: Ecological Structure Activity Relationships
-----------------	----------------------------------------------------------------

EC50 96h - Algae [1]	1.323 mg/l Source: Ecological Structure Activity Relationships
----------------------	----------------------------------------------------------------

### 12.2. Persistence and degradability

#### Super Sheen Dressing

Persistence and degradability	No additional information available.
-------------------------------	--------------------------------------

### Distillates (petroleum), light distillate hydrotreating process (68410-97-9)

Persistence and degradability	Inherently biodegradable.
-------------------------------	---------------------------

# Super Sheen Dressing

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Ozone : Not classified  
Fluorinated greenhouse gases : No

## SECTION 13 Disposal considerations

Regional waste regulation : Dispose in a safe manner in accordance with local/national regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
<b>14.1. UN number</b>			
UN1993	UN1993	1993	1993
<b>14.2. Proper Shipping Name</b>			
Flammable liquids, n.o.s. (Distillates (petroleum), light distillate hydrotreating process)	FLAMMABLE LIQUID, N.O.S. (Distillates (petroleum), light distillate hydrotreating process)	FLAMMABLE LIQUID, N.O.S. (Distillates (petroleum), light distillate hydrotreating process)	Flammable liquid, n.o.s. (Distillates (petroleum), light distillate hydrotreating process)
<b>14.3. Transport hazard class(es)</b>			
3	3	3	3
			
<b>14.4. Packing group</b>			
II	II	II	II
<b>14.5. Environmental hazards</b>			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available			

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

**DOT**  
UN-No. (DOT) : UN1993

**TDG**  
UN-No. (TDG) : UN1993

# Super Sheen Dressing

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

Emergency Response Guide (ERG) Number : 128

### IMDG

No data available

### IATA

No data available

## SECTION 15 Regulatory information

### 15.1. Federal regulations

#### Super Sheen Dressing

SARA Section 311/312 Hazard Classes	Refer to Section 2 for OSHA Hazard Classification.
-------------------------------------	----------------------------------------------------

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### CANADA

#### Distillates (petroleum), light distillate hydrotreating process (68410-97-9)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

#### Super Sheen Dressing

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory  
Listed on the Canadian DSL (Domestic Substances List)

### 15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16 Other information

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

Revision date : 10/1/2025  
Issue date : 10/1/2025

#### Full text of hazard classes and H-statements

H225	Highly flammable liquid and vapor
------	-----------------------------------

H304	May be fatal if swallowed and enters airways
------	----------------------------------------------

# Super Sheen Dressing

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

### Indication of changes:

New SDS.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.