

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : PETRA TRANSMISSION SYSTEM CLEANER 12 FL.OZ.

Product code : PETRA500

Other means of identification : This product is not hazardous in accordance with US OSHA 29CFR1910.1200 (Hazcom 2012),

Canada Hazardous Products Regulations (WHMIS 2015) and the Globally Harmonized System

(GHS).

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Transmission Cleaner

1.3. Details of the supplier of the safety data sheet

Petra Oil Company 11085 Regency Green Drive Cypress, TX 77429 T 713-856-5700

1.4. Emergency telephone number

Emergency number : CHEMTREC 24 Hour 1-800-424-9300, 1-703-527-3887 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified

2.2. Label elements

GHS-US labeling

No labeling applicable

2.3. Other hazards

Other hazards not contributing to the

classification

: None under normal conditions.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Distillates (Petroleum), Hydrotreated Heavy Naphthenic	(CAS No) 64742-52-5	85 - 95	Asp. Tox. 1, H304
Poly(oxy-1,2-ethanediyl),a,a'(iminodi-2,1-ethanediyl)bis[w-hydroxy-,N[3-[(C13-rich C-11-14-isoalkyl)oxy]propyl] derivs	(CAS No) 223129-76-8	1 - 5	Acute Tox. 4 (Oral), H302
Diisodecyl Adipate	(CAS No) 27178-16-1	< 1	Not classified
White Mineral Oil (Petroleum)	(CAS No) 8042-47-5	0.03 - 0.06	Asp. Tox. 1, H304
Lubricating Oils (Petroleum), C15-30, Hydrotreated Neutral Oil-Based	(CAS No) 72623-86-0	0.03 - 0.06	Carc. 1B, H350
Paraffinum Liquidum	(CAS No) 8012-95-1	0.03 - 0.06	Not classified
Petroleum Naphtha	(CAS No) 64742-47-8	< 1	Flam. Liq. 3, H226 Asp. Tox. 1, H304

The exact percentage is a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Respiratory arrest: artificial respiration or oxygen. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Allow victim to breathe fresh air. Allow the victim to rest.

EN (English US) 1/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. Take victim to a doctor if irritation persists. Remove affected clothing and wash all exposed skin area with mild

soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. If eye irritation persists: Get medical

advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain,

blinking or redness persist.

First-aid measures after ingestion : Immediately consult a doctor/medical service. Rinse mouth. Do NOT induce vomiting. Obtain

emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause irritation

or asthma-like symptoms.

Symptoms/injuries after skin contact : May cause slight irritation . Itching. Red skin. Skin rash/inflammation.

Symptoms/injuries after eye contact : May cause slight eye irritation . Inflammation/damage of the eye tissue. Irritation of the eye

tissue. Redness of the eye tissue.

Symptoms/injuries after ingestion : May be harmful if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder. Water. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non-flammable.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ventilate area. Eliminate ignition sources. Wear self-contained breathing apparatus when

entering area unless atmosphere is proved to be safe.

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Safety glasses.

Emergency procedures : No naked flames or sparks. Stop engines and no smoking. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Plug the leak, cut off the supply.

Dam up the liquid spill.

Methods for cleaning up : Absorb spillage to prevent material damage. Scoop absorbed substance into closing

containers. This material and its container must be disposed of in a safe way, and as per local legislation. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from sources of ignition - No smoking. Use only in well-ventilated areas. Use personal protective equipment as required. Avoid prolonged and repeated contact with skin. Keep container tightly closed. Do not eat, drink or smoke when using this product. Wash hands

Keep container tightly closed. Do not eat, drink or smoke when using this product. Wash han and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

EN (English US) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures : Do not eat, drink or smoke w

Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Remove contaminated clothes. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply with

applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products : Oxidizing agent. Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Follow Label Directions.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)						
Distillates (Fettoleulli)	Distillates (Petroleum), nyurotreateu neavy Naphthemic (64/42-52-5)					
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³ MIST 8 HOURS				
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³ MIST 8 HOURS				
White Mineral Oil (Petroleum) (8042-47-5)						
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³ (Mineral oil, pure, highly and severely refined; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Inhalable fraction)				
USA ACGIH ACGIH STEL (mg/m³)		10 mg/m³				

8.2. Exposure controls

Appropriate engineering controls : Provide adequate general and local exhaust ventilation. Local exhaust venilation, vent hoods.

Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Protective goggles. Safety glasses. Avoid all unnecessary exposure.



Materials for protective clothing : GIVE EXCELLENT RESISTANCE:

Hand protection : Wear chemically resistant protective gloves. Wear protective gloves. Eye protection : Safety glasses. Safety glasses. Chemical goggles or safety glasses.

Skin and body protection : Wear chemically resistant protective gloves.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. Wear gas mask if concentration in

air > exposure limit. Wear appropriate mask.

Environmental exposure controls : Avoid release to the environment.

Consumer exposure controls : Avoid contact during pregnancy/while nursing.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Color : Yellow.

Odor : Petroleum-like odour.
Odor threshold : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available
Freezing point : No data available

Boiling point : > 100Flash point : $136 \, ^{\circ}\mathrm{C}$ Auto-ignition temperature : $315 \, ^{\circ}\mathrm{C}$

Decomposition temperature : No data available

EN (English US) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : 0.9

Solubility : Insoluble in water. Poorly soluble in water.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : Not Determined
Viscosity, dynamic : Not Determined
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9.2. Other information

VOC content : < 1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Toxic fume. . Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)				
LD50 oral rat	> 5000 mg/kg body weight			
Diisodecyl Adipate (27178-16-1)				
LD50 oral rat	20500 mg/kg (Rat)			
LD50 dermal rat	> 5000 mg/kg (Rat)			
White Mineral Oil (Petroleum) (8042-47-5)				
LD50 oral rat	> 5000 mg/kg (Rat; Experimental value,Rat; Experimental value)			
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Experimental value,Rabbit; Experimental value)			
LC50 inhalation rat (mg/l)	> 5 mg/l/4h (Rat; Experimental value)			
Poly(oxy-1,2-ethanediyl),a,a'(iminodi-2,1-ethanediyl)bis[w-hydroxy-,N[3-[(C13-rich C-11-14-isoalkyl)oxy]propyl] derivs (223129-76-8)				
LD50 oral rat	1000 - 2000 mg/kg			

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)				
IARC group	3			
White Mineral Oil (Petroleum) (8042-47-5)				
IARC group	3			
Reproductive toxicity	: Not classified			
Specific target organ toxicity – single exposure	: Not classified			

EN (English US) 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity - repeated : Not classified

exposure

Aspiration hazard : Not classified

symptoms

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause irritation or asthma-like symptoms.

Symptoms/injuries after skin contact May cause slight irritation . Itching. Red skin. Skin rash/inflammation.

May cause slight eye irritation . Inflammation/damage of the eye tissue. Irritation of the eye Symptoms/injuries after eye contact

tissue. Redness of the eye tissue.

Symptoms/injuries after ingestion : May be harmful if swallowed and enters airways.

SECTION 12: Ecological information

Toxicity

Ecology - general : No data available.

White Mineral Oil (Petroleum) (8042-47-5)	
LC50 fish 1	> 100 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss; Static system; Fresh water; Experimental value)
EC50 Daphnia 1	> 100 mg/l (LC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	>= 100 mg/l (NOEL; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Weight of evidence)

Persistence and degradability 12.2.

PETRA TRANSMISSION SYSTEM CLEANER 12 FL.OZ.			
Persistence and degradability	Not established.		
Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)			
Persistence and degradability	Not established.		
Petroleum Naphtha (64742-47-8)			
Persistence and degradability	Not established.		

			J	,	
_		_		 	

Diisodecyl Adipate (27178-16-1) Persistence and degradability Biodegradability in water: no data available

White Mineral Oil (Petroleum) (8042-47-5)

Persistence and degradability Not readily biodegradable in water. Adsorbs into the soil. Not established.

Lubricating Oils (Petroleum), C15-30, Hydrotreated Neutral Oil-Based (72623-86-0)

Persistence and degradability Not established

Paraffinum Liquidum (8012-95-1)

Persistence and degradability Not established.

Poly(oxy-1,2-ethanediyl),a,a'(iminodi-2,1-ethanediyl)bis[w-hydroxy-,N--[3-[(C13-rich C-11-14-isoalkyl)oxy]propyl] derivs (223129-76-8)

Persistence and degradability Not established

Bioaccumulative potential

PETRA TRANSMISSION SYSTEM CLEANER 12 FL.OZ.

Not established. Bioaccumulative potential

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

Bioaccumulative potential Not established.

Petroleum Naphtha (64742-47-8)

Bioaccumulative potential Not established.

Diisodecyl Adipate (27178-16-1)

No bioaccumulation data available. Bioaccumulative potential

White Mineral Oil (Petroleum) (8042-47-5)

Log Pow > 6 (Calculated)

Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5). Not established.

Lubricating Oils (Petroleum), C15-30, Hydrotreated Neutral Oil-Based (72623-86-0)

Bioaccumulative potential Not established.

Paraffinum Liquidum (8012-95-1)

Not established. Bioaccumulative potential

Poly(oxy-1,2-ethanediyl),a,a'(iminodi-2,1-ethanediyl)bis[w-hydroxy-,N--[3-[(C13-rich C-11-14-isoalkyl)oxy]propyl] derivs (223129-76-8)

Bioaccumulative potential Not established

> EN (English US) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point. Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national, international regulations. Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

US DOT (ground): Not regulated, ICAO/IATA (air): Not regulated, IMO/IMDG (water): Not regulated,

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not regulated

14.3. Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

PETRA TRANSMISSION SYSTEM CLEANER 12 FL.OZ.			
SARA Section 302 Threshold Planning	Not Listed		
Quantity (TPQ)			

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

SARA Section 311/312 Hazard Classes Delayed (chronic) health hazard

Petroleum Naphtha (64742-47-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SARA Section 311/312 Hazard Classes Fire hazard
Delayed (chronic) health hazard

White Mineral Oil (Petroleum) (8042-47-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

$\textbf{Poly(oxy-1,2-ethanediyl)}, \textbf{a,a'(iminodi-2,1-ethanediyl)} bis[w-hydroxy-, N--[3-[(C13-rich\ C-11-14-isoalkyl)oxy]propyl]\ derivs\ \textbf{(223129-76-8)}$

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SARA Section 311/312 Hazard Classes Fire hazard

Immediate (acute) health hazard

15.2. International regulations

CANADA

White Mineral Oil (Petroleum) (8042-47-5)

Listed on the Canadian DSL (Domestic Substances List)

EN (English US) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Poly(oxy-1,2-ethanediyl),a,a'(iminodi-2,1-ethanediyl)bis[w-hydroxy-,N[3-[(C13-rich C-11-14-isoalkyl)oxy]propyl] derivs (223129-76-8)		
WHMIS Classification	Class B Division 3 - Combustible Liquid Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class E - Corrosive Material	

EU-Regulations

White Mineral Oil (Petroleum) (8042-47-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Poly(oxy-1,2-ethanediyl),a,a'(iminodi-2,1-ethanediyl)bis[w-hydroxy-,N--[3-[(C13-rich C-11-14-isoalkyl)oxy]propyl] derivs (223129-76-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.2; R45

Full text of R-phrases: see section 16

15.2.2. National regulations

White Mineral Oil (Petroleum) (8042-47-5)

Poly(oxy-1,2-ethanediyl),a,a'(iminodi-2,1-ethanediyl)bis[w-hydroxy-,N--[3-[(C13-rich C-11-14-isoalkyl)oxy]propyl] derivs (223129-76-8)

15.3. US State regulations

10.0. 00 Otate regulations					
PETRA TRANSMISSION SYSTEM CLEANER 12 FL.OZ.					
U.S California - Proposition 65 - Carcinogens List		No			
U.S California - Proposition 65 - Developmental Toxicity		No			
U.S California - Propositio Toxicity - Female	n 65 - Reproductive	No			
U.S California - Propositio Toxicity - Male	n 65 - Reproductive	No			
State or local regulations		U.S California - Proposition 65	5		
Distillates (Petroleum), Hy	drotreated Heavy Naphther	nic (64742-52-5)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)	
No	No	No	No		
Petroleum Naphtha (64742	?-47-8)		<u> </u>		
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)	
No	No	No	No		
Diisodecyl Adipate (27178	-16-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)	
No	No	No	No		
White Mineral Oil (Petroleu	ım) (8042-47-5)	•	•		
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)	
No	No	No	No		
Lubricating Oils (Petroleur	m), C15-30, Hydrotreated No	eutral Oil-Based (72623-86-0)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)	

EN (English US) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Lubricating Oils (Petroleu	ubricating Oils (Petroleum), C15-30, Hydrotreated Neutral Oil-Based (72623-86-0)					
No No		No No				
Paraffinum Liquidum (801	Paraffinum Liquidum (8012-95-1)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)		
No	No	No	No			
Poly(oxy-1,2-ethanediyl),a	Poly(oxy-1,2-ethanediyl),a,a'(iminodi-2,1-ethanediyl)bis[w-hydroxy-,N[3-[(C13-rich C-11-14-isoalkyl)oxy]propyl] derivs (223129-76-8)					
U.S California - Proposition 65 - Carcinogens List U.S California - Proposition 65 - Developmental Toxicity		U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)		
No	No	No	No			

SECTION 16: Other information

Indication of changes : Revision - See : *.

Other information : None.

Full text of H-phrases:

•	At all the principals of the principal of the princi					
	H226	Flammable liquid and vapor				
	H302	Harmful if swallowed				
	H304	May be fatal if swallowed and enters airways				
	H350	May cause cancer				

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard
Physical : 0 Minimal Hazard

Personal Protection : B

SDS US (GHS HazCom 2012) - TCC

The Supplier identified in Section 1 of this SDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product

Disclaimer: The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

EN (English US) 8/8